Supplement to BRITTONIA, Vol. 31, No. 4, October–December, 1979

BRITTONIA

A JOURNAL OF SYSTEMATIC BOTANY

CONTENTS

of

Volume 31

[BRITTONIA for January–March 1979 (31: 1–176) was issued 30 March 1979]

Phytotaxonomy in the People's Republic of China
1 **Bruce Bartholomew, Richard A. Howard and Thomas S. Elias**

Notes on the vegetation of Amazonia III. The terminology of Amazonian forest types subject to inundation
26 **Ghillean T. Prance**

Fruits and seeds of the Brandon Lignite III. *Turpinia* (Staphyleaceae)
39 **Bruce H. Tiffney**

The systematic significance of seed morphology in *Sagina* (Caryophyllaceae) under scanning electron microscopy
52 **Garrett E. Crow**

The pollination ecology of *Echeandia macrocarpa* (Liliaceae)
64 **Peter Bernhardt and Edy A. Montalvo**

Harleyodendron, a new genus of Leguminosae (Swartzieae)
72 **Richard S. Cowan**

New genera and species of Chrysobalanaceae from Malesia and Oceania
79 **Ghillean T. Prance**

A new species of *Lomatium* (Apiaceae) from Utah
96 **Rupert C. Barneby and Noel H. Holmgren**

A new species of *Valeriana* (Valerianaceae) from Venezuela
101 **Frederick G. Meyer**

Nomenclatural changes in some intermountain penstemons (Scrophulariaceae)
104 **Noel H. Holmgren**

New names in *Banisteriopsis* and *Diplopterys* (Malpighiaceae) of the Guayana Highland
108 **Bronwen Gates**

A new species of *Asclepias* (Asclepiadaceae) from Utah
110 **Noel H. Holmgren and Patricia K. Holmgren**

A new section of *Clitoria* subgenus *Neurocarpum* (Leguminosae) and a new species endemic to Thailand
115 **Paul R. Fantz**
Neolaugeria, a new name for *Terebraria* (Rubiaceae) of the West Indies
119 **Dan H. Nicolson**
Studies in *Cnidoscolus* (Euphorbiaceae) I. *Jatropha tubulosa*, *J. liebmannii* and allied taxa from Central Mexico
125 **Gary J. Breckon**
Three new Brazilian species of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae)
149 **Howard S. Irwin and Rupert C. Barneby**
Notes on Neotropical Vaccinieae (Ericaceae) VII. Novelties from Ecuador
156 **James L. Luteyn**
New species and combinations in *Houstonia* (Rubiaceae)
164 **Edward E. Terrell**
Dioon califanoi (Zamiaceae), a new species from Mexico
170 **Paolo De Luca and Sergio Sabato**
Notes and book reviews
25, 38, 51, 71, 95, 100, 107, 109, 114, 118, 124, 148, 155, 169
Instructions to contributors
174

[BRITTONIA for April–June 1979 (31: 177–312) was issued 8 June 1979]

The herbarium of the "Centro de Pesquisas do Cacau" at Itabuna, Brazil
177 **Scott A. Mori and Luiz Alberto Mattos Silva**
Cytological and reproductive differentiation in *Sedum* section *Gormania* (Crassulaceae)
197 **Melinda F. Denton**
Flavonoid chemistry of *Arceuthobium* (Viscaceae)
212 **Daniel J. Crawford and Frank G. Hawksworth**
New penstemons (Scrophulariaceae) from the Intermountain Region
217 **Noel H. Holmgren**
On the distribution of *Rostkovia magellanica* (Juncaceae), a species newly rediscovered in Ecuador
243 **Henrik Balslev**
Two new species of Neotropical Chrysobalanaceae
248 **Ghillean T. Prance**
Autogamy in the American strain of witchweed, *Striga asiatica* (Scrophulariaceae)
253 **Daniel L. Nickrent and Lytton J. Musselman**
A new *Arenaria* (Caryophyllaceae) from the Cumberlands of Tennessee
257 **B. Eugene Wofford and Robert Kral**
Astragalus columbianus (Leguminosae)—rediscovery of an "extinct" species
261 **Ronald H. Sauer, Joy D. Mastrogiuseppe and Robert H. Smookler**
The taxonomic affinities of *Haplopappus linearifolius* (Asteraceae—Astereae)
265 **Lowell E. Urbatsch and James R. Wussow**
The identity of *Alisma boliviana* Rusby (Alismataceae)
276 **Lauritz B. Holm-Nielsen**
A new variety of *Galium arkansanum* (Rubiaceae) endemic to the Ouachita Mountains of Arkansas
279 **Edwin B. Smith**

Studies in the Cyperaceae of Thailand II. Miscellaneous taxa of Fimbristylideae, Rhynchosporeae, Scirpeae and Sclerieae
284 **Tetsuo Koyama**
The taxonomic status of *Polystachya foliosa* (Orchidaceae) in the Bahama Islands
294 **Ruben P. Sauleda and Ralph M. Adams**
The genus *Sidastrum* E. G. Baker (Malvaceae): A correction
298 **Paul A. Fryxell**
Raritebe, an overlooked genus of the Rubiaceae
299 **Joseph H. Kirkbride, Jr.**
Notes and book reviews
196, 211, 242, 256, 264, 275, 278, 293, 312

[BRITTONIA for July–September 1979 (31: 313–432) was issued 22 August 1979]

Review of the Neotropical Isertieae (Rubiaceae)
313 **M. Cristina García Kirkbride**
A revision of the genus *Wislizenia* (Capparidaceae) based on population studies
333 **Sue Keller**
A new euglossine-pollinated species of *Dalechampia* (Euphorbiaceae) from Mexico
352 **Grady L. Webster and W. Scott Armbruster**
Subgeneric and sectional names for Intermountain *Penstemon* (Scrophulariaceae)
358 **Noel H. Holmgren**
Three new species of *Eryngium* (Umbelliferae) from tropical South America
365 **Lincoln Constance**
New taxa and combinations in *Siphonoglossa* (Acanthaceae)
373 **James Henrickson and Richard A. Hilsenbeck**
A revision of the moss genus *Trachyphyllum* Gepp (Thuidiaceae)
379 **William R. Buck**
Macromitrium crumianum (Musci: Orthotrichaceae), a new species from Guatemala
395 **William C. Steere and William R. Buck**
Diplachne and *Leptochloa* (Poaceae) in North America
399 **J. McNeill**
Systematic implications of flavonoid pigments in the fern genus *Hemionitis* (Adiantiaceae)
405 **David E. Giannasi and John T. Mickel**
A new species of *Allium* (Liliaceae)
413 **Terry D. Jacobsen**
An overlooked new species of *Smilax* (Smilacaceae) from northern California
416 **G. Ansley Wallace**
A new species of *Ceratozamia* (Cycadaceae) from San Luis Potosí
422 **Garrie P. Landry and Marcia C. Wilson**
Remarks on the article by Karl J. Niklas: "Theoretical evolutionary rates in plant groups and the fossil record"
425 **K. Trincher**
Information, entropy, and the evolution of living systems
428 **Karl J. Niklas**
Notes from the New York Botanical Garden Herbarium I. The Herbarium of Warren H. Lewis
431 **Eileen K. Schofield**
Announcements and book reviews
351, 372, 394, 412, 415, 424, 427, 430, 432

[BRITTONIA for October–December 1979 (31: 433–516) was issued 27 November 1979]

Arberella (Poaceae: Bambusoideae): A new genus from tropical America
433 **Thomas R. Soderstrom and Cleofé E. Calderón**

A synoptical revision of *Blepharidachne* (Poaceae)
446 **Armando T. Hunziker and Ana M. Anton**

A new species of *Artemisia* (Asteraceae: Anthemidae) from southeastern Oregon
454 **James W. Grimes and Barbara Ertter**

Dragma Hippomanicum IV. New taxa of *Astragalus* sect. *Humillimi*
459 **Rupert C. Barneby**

Two new Brazilian species of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae)
464 **Howard S. Irwin and Rupert C. Barneby**

A re-evaluation of the Bruchiaceae with the description of a new genus
469 **William R. Buck**

Tillandsia tomasellii (Bromeliaceae), a new species from Oaxaca, Mexico
474 **Paolo De Luca, Sergio Sabato and Alberto Balduzzi**

Opuntia fragilis (Cactaceae) verified in Illinois flora
478 **Charles J. Sheviak**

The subdivisions of *Magnistipula* Engl. (Chrysobalanaceae)
480 **Frank White**

Resurrection of the genus *Dactyladenia* (Chrysobalanaceae)
483 **Ghillean T. Prance and Frank White**

A new species of *Astomiopsis* (Ditrichaceae) from Mexico
488 **William R. Buck**

Misapplication of the name *Stachys nuttallii* (Lamiaceae) to a new Southeastern species
491 **John B. Nelson and John E. Fairey, III**

Another name for the Umbrella Bamboo
495 **Thomas R. Soderstrom**

Announcements and book reviews
445, 453, 458, 468, 473, 477, 487, 494, 496–500

Volume index
501

Statement of ownership
516

INDEX TO VOLUME 31

New names and combinations and their pages of publication are printed in **boldface**, fig. = figure.

Abies: *magnifica* 418; *religiosa* 215; *vejari* 215
Acacia: *choriophylla* 297; *neovernicosa* 168
Acamptopappus microcephalus 274
Acanthaceae 10, 373–378
Aceraceae 10
Acioa 79, 91, 483; subgenus *Afracioa* 483; *barteri* 484; *bellayana* 484; *brazzae* 483; *buchneri* 483, 486; *campestris* 484; *chevalieri* 484; *cinerea* 484; *dawei* 483; *dewevrei* 484; *dichotoma* 485; *dinklagei* 485; *eketensis* 485; *floribunda* 485; *gilletii* 485; *gossweileri* 483, 486; *heteropetala* 91; *hirsuta* 485; *icondere* 485; *johnstonei* 485; *klaineana* 483; *laevis* 485; *lanceolata* 483; *lehmbachii* 485; *letestui* 485; *librevillensis* 486; *lujae* 483, 486; *malayana* 94; *mannii* 486; *pallescens* 486; *pierrei* 486; *reygaertii* 483; *rudatisii* 483; *sapinii* 486; *scabrifolia* 486; *schultesii* 91; *seretii* 483; *smeathmannii* 486; *standtii* 486; *talbotii* 483; *tenuiflora* 483; *thollonii* 483; *vanhouttei* 483; *whytei* 487
Actinidiaceae 10
Actinidia chinensis 23
Actinocheita filicina 143
ADAMS, RALPH M. See Sauleda & Adams 294–297
Adenostoma 274
Adiantiaceae 405–412, 494
Agave 146; *lecheguilla* 168
Agrimonia 25
Ajaniopsis 24
Alangium 40
Aldina latifolia var. *latifolia* 33
Alepidea 367
Alisma boliviana 276–278
Alismataceae 276–278
Allantoma 211; *lineata* 29, 30
Allium 413–415; *canadense* 413, 414, var. *canadense* 414; *glandulosum* 414; *kunthii* 413, 414; *rhizomatum* 414; **stoloniferum 413**, 414, fig. 414
Aloe 302
Aloysia 375
Alternanthera maritima 191
Amaryllidaceae 10
Amazonia: Key to types of Amazonian forests subject to inundation 29; notes on the vegetation 26–38
America, tropical: *Arberella* 433–445
Amphidasya 302, 313, 315, 317–319, 326, 328, 330; *ambigua* 330; *neblinae* 315; *venezuelensis* 315, fig. 319, 330
Angelesia 79, 80; *papuana* 88
Anisodus 21
Anisothecioideae 472
Anisothecium 469, 471
Annonaceae 10, 23
Another name for the Umbrella Bamboo, by Thomas R. Soderstrom 495
Anthemidae 454–458
Antirhea 119, 120; *resinosa* 121
Antirrhoea 121
ANTON, ANA M. See Hunziker & Anton 446–453
Apiaceae 19, 21, 96–100, 365–372
Apis 70
Apocopis 22
Apocynaceae 2, 10, 24
Aquifoliaceae 10
Araceae 10
Araliaceae 2, 10, 23
Arberella 433–445; keys 438 & 439; **costaricensis 439**–445, figs. 440 & 441; **dressleri 433**–437, figs. 434 & 436, 439; **flaccida** 439, **443**–445
Arberella (Poaceae: Bambusoideae): A new genus from tropical America, by Thomas R. Soderstrom & Cleofé E. Calderón 433–445
Arceuthobium 212–216; subgenus *Arceuthobium* 212, 213, 215, 216; subgenus *Vaginata* 212–216; sect. *Campylopoda* 213–215; sect. *Minuta* 214, 215; sect. *Vaginata* 213, 215, 216; ser. *Campylopoda* 213; ser. *Rubra* 214; ser. *Stricta* 214; *abietinum* 213, f. sp. *concoloris* 213, f. sp. *magnificae* 213; *abietis-religiosae* 213, 215; *americanum* 213; *apachecum* 213, 215; *aureum* 213, subsp. *aureum* 213, subsp. *petersonii* 213; *azoricum* 213, 215; *bicarinatum* 214; *blumeri* 213, 215; *californicum* 213, 215; *campylopodum* 213, 215, 216; *chinense* 213, 214; *cyanocarpum* 213, 215, 216; *divaricatum* 213; *douglasii* 214, 215; *gillii* 213, 215, subsp. *gillii* 213, subsp. *nigrum* 213; *globosum* 213, subsp. *globosum* 213, subsp. *grandicaule* 213; *guatemalense* 213; *hondurense* 214; *juniperi-procerae* 212, 213, 215; *laricis* 213; *microcarpum* 213, 215, 216; *minutissimum* 213, 215; *occidentale* 213, 216; *oxycedri* 212, 213, 215; *pini* 213, 214; *pusillum* 214; *rubrum* 214; *strictum* 214; *tsugense* 212, 213, 216; *vaginatum* 213, 215, subsp. *cryptopodum* 213, subsp. *durangense* 213, subsp. *vaginatum* 213; *verticilliflorum* 213, 215
Arecaceae 31
Arenaria 257–260; **cumberlandensis 257**–260, fig. 258; *glabra* 257; *groenlandica* 257, 260, var. *glabra* 257, var. *groenlandica* 260
Aristolochia 21
Aristolochiaceae 10, 23
Arkansas: *Galium arkansanum* 279–283
ARMBRUSTER, W. SCOTT. See Webster & Armbruster 352–357

Artemisia 263, 274, 454–458; sect. *Arotanum* 454; *discolor* var. *glandulifera* 457; *ludoviciana* var. *incompta* 457; *michauxiana* 454, 456, 457; **packardiae 454**–458, fig. 455, map 456; *tridentata* 261, 263; *vulgaris* 456
Arundinaria 495; *murielae* 495; *sparsiflora* 495
Arundineae 400, 401
Asclepiadaceae 2, 11, 24, 110–114
Asclepias 110–114; key to Tomentosae group 113, 114; ser. *Roseae* 110, 112, 113; group Tomentosae 110, 112–114; *albicans* 112; *arenaria* 113, 114; *eriocarpa* 113, 114; *erosa* 113, 114; *labriformis* 110, 112, 113; *latifolia* 113, 114; *masonii* 112; *nummularia* 112; *obovata* 114; *rosea* 112; *subaphylla* 112; *tomentosa* 114; *vestita* 113; **welshii 110**–113, fig. 111, map 112
Asteraceae 12, 23, 24, 194, 212, 265–275, 454–458
Asteranthos 211
Aster: *cooperi* 274; *linearifolius* 273; *monactis* 274
Astereae 265–275
Astomiopsis 488–490; key to species 490; *amblyocalyx* 490; *pacifica* 489, 490; **saintpierrei 488**–490, fig. 489; *sinensis* 489, 490; *subulata* 490
Astragalus 278, 459–463; sect. *Humillimi* 459–463; sect. *Orophaca* 459, 461; subsect. **Nothorophaca 459**, 461; *columbianus* 261–264, figs. 262 & 263; *cremnophylax* 463, var. *cremnophylax* 463, var. **myriorrhaphis** 459, 461, fig. 462, **463**; *gilviflorus* 461; *humillimus* 463; *minimus* 461; *purshii* 261, 262; *siliceus* fig. 460, 461, key 461, 462; *speirocarpus* 261, 262; **wittmannii 459**–462, fig. 460, key 461
Astragalus columbianus (Leguminosae)—rediscovery of an "extinct" species, by Ronald H. Sauer, Joy D. Mastrogiuseppe & Robert H. Smookler 261–264
Atropantha 21
Attalea funifera 191
Atuna 79
Autogamy in the American strain of witchweed, *Striga asiatica* (Scrophulariaceae), by Daniel L. Nickrent & Lytton J. Musselman 253–256
Avicennia 191; *nitida* 35
Azorella 243
Bahama Islands: *Polystachya foliosa* 294–297
Baikiaea 78
BALDUZZI, ALBERTO. See De Luca, Sabato & Balduzzi 474–477
Balsaminaceae 11
Bamboo, 23; Umbrella 495
Bambusoideae 433–445
Banana 195
Banisteriopsis 108, 109; *cabrerana* 109; **cinerascens 108**; *elegans* var. *pulcherrima* 109; **lyrata 108**; **maguirei 108**, 109; **pulcherrima 109**; **wurdackii 109**
BARNEBY, RUPERT C.—book review of *Flora del Avila*, by Julian A. Steyermark & Otto Huber 496, 497
———.—book review of *Polygonaceae (Buckwheat Family) of New York State*, by Richard S. Mitchell & J. Kenneth Dean 38
———, Dragma Hippomanicum IV. New taxa of *Astragalus* sect. *Humillimi* 459–463
———. See Irwin & Barneby 149–155; 464–468
——— & NOEL H. HOLMGREN, A new species of *Lomatium* (Apiaceae) from Utah 96–100
BARTHOLOMEW, BRUCE, RICHARD A. HOWARD & THOMAS S. ELIAS, Phytotaxonomy in the People's Republic of China 1–25
Beaucarnea gracilis 146
Bees 65, 67, 69, 70; euglossine 70, 352; eusocial 65
Begonia calderonii 67
Belém, Romeu Pedro 184, 185
Bellardia 323
Berberidaceae 11
Berberis 22
BERNHARDT, PETER & EDY A. MONTALVO, The pollination ecology of *Echeandia macrocarpa* (Liliaceae) 64–71
Bertiera 299, 302, 326, 327, 332; *africana* 332; *bracteolata* 332; *colombiana* 304, 307; *guianensis* 332; *panamensis* 304; *parviflora* 332; **viburnoides 311**
Bigelowia cooperi 274
Bignoniaceae 33, 64, 70
Birds 64
Blepharidachne 446–453; key to species 450; *benthamiana* 446–448, fig. 448, 450–452; *bigelovii* 446, 447, fig. 447, 450, 451; *hitchcockii* 446–450, fig. 449, 452, 453; *kingii* 446, 447, fig. 447, 450, 451
Bolboschoenus: *affinis* 284, 285, var. *maritimoides* 285; *maritimus* 284, 285, subsp. **affinis 284**, 285; *planiculmis* 285
Bombacaceae 31, 40, 192
Bombax munguba 31
Bombus 64, 65, 67, 70; *ephippiatus* 64–68; *mexicanus* 66, 67; *nigrodorsalis* 66, 67
Bommeria 410
Boraginaceae 11
Bothriospora corymbosa 31
Bouteloua 168
Brachyodus bruchioides 470
Brassicaceae 12, 347
Brazil: *Chamaecrista* 149–155, 464–468; Herbarium of the "Centro de Pesquisas do Cacau" at Itabuna 177–196
Brodiaea douglasii 261
Bromeliaceae 351, 474–477
Bromus tectorum 261
Bruchia 469, 470, 472
Bruchiaceae 469–473
Bryophyta 9
Bryosedgwickia 393; **fragilifolia 393**; *purpurascens* 392

BUCK, WILLIAM R., A new species of *Astomiopsis* (Ditrichaceae) from Mexico 488–490
———, A re-evaluation of the Bruchiaceae with the description of a new genus 469–473
———, A revision of the moss genus *Trachyphyllum* Gepp (Thuidiaceae) 379–394
———.—book review of *Flora of Barro Colorado Island*, by Thomas B. Croat 264
———. See Steere & Buck 395–398
Buena 317
Bumblebees 64, 65, 67, 69, 70
Bupleurum 23
Bursera 143; *simaruba* 297; *submoniliformis* 143
Buxaceae 11
Cactaceae 193, 478, 479
Caesalpiniaceae: See Leguminosae
Caesalpinia echinata 192
Caesalpinieae 77
Caesalpinioideae 72, 77, 78, 149–155, 464–468, 483
Calderón, Cleofé E. 185
CALDERÓN, CLEOFÉ. See Soderstrom & Calderón 433–445
Calderonella 437
California: *Smilax jamesii* 416–421
Calycophyllum spruceanum 31
Calyptranthes zuzygium 297
Campanulaceae 11
Campylostelium 470, 471; *bruchioides* 471; *saxicola* 471; *stricta* 471; *venezuelanum* 469, 471, 472
Canavalia obtusifolia 191
Candolleodendron 72, 74
Capparidaceae 31, 333–351
Caprifoliaceae 11
Carapa guianensis 31
Cariniana 211
Carpesium 21
Carpha alpina 245
Carpinaceae 11
Carpolithus pusillus var. *elongatus* 43, var. *latus* 43, var. *ornatus* 43
Caryocar microcarpum 29
Caryococca 317
Caryophyllaceae 11, 52–63, 257–260
Cassia 149, 151, 153, 375; subgenus *Lasiorhegma* 149; sect. *Absus* 467; ser. *Incurvatae* 467; *bahiae* 467; *chrysosepala* 467; *incurvata* 468; *nictitans* subsp. *disadena* 67
Cassieae 467, 468
Cassupa 315
Castellanos, Alberto 185, 186
Catalpa 4
Cavanillesia arborea 193
Cavendishia: *divaricata* 156, 158; **lebroniae 156**–158, fig. 157; *martii* 156, 158
Cecropia 31, 194
Cedrelinga castanaeformis 32
Ceiba pentandra 31, 32
Celtis pallida 143
Ceratostema: **megabracteatum** 156, **158**–160, fig. 159; *peruvianum* 158, 160
Ceratozamia 422–424; **hildae 422**–424, fig. 423; *mexicana* 424
Cereus: *jamacaru* 193; *pernambucensis* 191
Chamaecrista 149–155, 464–468; sect. **Absus** 149, 151, 153, **155**, 464, 466, 467; sect. **Apoucouita** 149, 151, **155**, 464; ser. **Adenophyllae** 153, **155**, 466, 467; ser. **Geminatae** 153, **155**; ser. **Incurvatae 467**; ser. **Nigricantes** 151, 153, **155**; ser. **Pteridophyllae** 149, 151, **155**; **adenophylla** 153, **155**; **aspidiifolia 149**–151, fig. 150; **aspleniifolia** 149, 151, **155**; **bahiae** 464, 465, **467**; **chrysosepala** 466, **467**; **didyma** 149, **153**–155, fig. 154; **geminata** 153–**155**; **glischrodes** 149, **151**–153, fig. 152; **hatschbachii** 464, fig. 466, **466**, 467; **incurvata** 467, **468**; **onusta 464**–466, fig. 465; **philippi** 151, 153, **155**; **tephrosiifolia** 151, 153, **155**
Championella sarcorrhiza 23
Chelone: *angustifolia* 229; *coerulea* 229; *Pentstemon* 361
Chenopodiaceae 12, 22
China: Phytotaxonomy in the People's Republic of China 1–25
Chionochloa rubra 245
Chlorideae 399
Chrysobalanaceae 33, 79–95, 248–252, 480–487
Chrysobalanus icaco 191
Chrysoma cooperi 274
Chrysothamnus: *corymbosus* 274; *nauseosus* 261
Chuniophoenix 24
Cinchonoideae 325–328
Cinnamomum: *camphora* 4; *glanduliferum* 23
Cirsium turneri 165
Citrus 25
Cladastomum subulatum 470
Cleistogenes 401
Cleomaceae 347
Cleome 345; sect. *Peritoma* 346; *isomeris* 346; *lutea* 346; *serrulata* 346
Cleomella 333, 345, 346; *coulteri* 349; *longipes* 346; *macbrideana* 346
Clitoria 115–118; subgenus *Neurocarpum* 115–118; sect. **Tanystyloba 115**, 116; *australis* 115, 116; **cordiformis** 115, **116**, fig. 117, 118; *hanceana* 115, 116; *javanica* 115, 116, 118; *linearis* 115, 116; *macrophylla* 115, 116, 118
Clusiaceae 194
Clusia rosea 297
Cnidoscolus 125–148; key to *tubulosus* complex 127, 128; key to *rostratus* subsp. 138; sect. *Calyptrosolen* 125, 126, 140; *aconitifolius* 147, subsp. *aconitifolius* 147; *angustidens* 139; *armatus* 144, 147; *cordifolius* 130; *hernandezii* 130, 132; *jurgensenii* 130, 133, 134; *liebmannii* 125–128, map 127, 132, 140, 142–147, fig. 145; *multilobus* 132; *neglectus* 134; *rostratus* 125–127, 135–140, subsp. **glabratus** 125, map 127, 128, fig. 136, 138, **139**, subsp.

hintonii 125, map 127, 128, fig. 136, 137–140, **139**, subsp. *rostratus* 126–128, map 127, 131, 134, fig. 136, 138, 139, 142, 143; *spinosus* 137; **tehuacanensis** 125–128, map 127, 132, 137, **140**–144, fig. 141, 146, 147; *tomentosus* 130; *tubulosus* 125–135, map 127, fig. 129, 137, 138, 142, 143; *urens* subsp. *neglectus* 134
Coccocipsilum 323
Coccocypseleae 327, 328
Coccocypselum 313, 323, 327, 328, 331, 332; *aureum* 331; *cordata* 331; *cordifolium* 331; *dichrodasium* 331; *guianensis* fig. 324, 332; *hirsutum* 332; *hispidum* 332; *lanceolatum* 332
Coccoloba diversifolia 297
Cocoa 182; geography 177–179, fig. 178; production 179–181; vegetation types 189–195
Cocoa region 189–195
Coconut 191
Cocos nucifera 191
Codonopsis 23
Collectors of the CEPEC Herbarium 184–189
Combretaceae 12
Commelinaceae 12
Compositae: See Asteraceae
Condalia 323
Condamineae 325
Coniocybe 302
Conocarpus erectus 191, 297
CONSTANCE, LINCOLN, Three new species of *Eryngium* (Umbelliferae) from tropical South America 365–372
Convolvulaceae 5, 12
Cordia parviflora 375
Cordyla 77
Cordylanthus 52
Coreopsis 212
Cortaderia 245
Costus 31
Couepia 252; **nutans 248**, fig. 249; *paraensis* 33; *polyandra* 248
Couroupita subsessilis 31
Coussarea 299; *chariantha* 304; *colonis* 304; *euryphylla* 304, 308
Coussareae 299
COWAN, RICHARD S., *Harleyodendron*, a new genus of Leguminosae (Swartzieae) 72–78
Crassulaceae 5, 12, 197–211
Cratavea tapia 31
CRAWFORD, DANIEL J. & FRANK G. HAWKSWORTH, Flavonoid chemistry of *Arceuthobium* (Viscaceae) 212–216
Crepis atrabarba 261
CROAT, THOMAS B.—book review of *Flora del Avila*, by Julian A. Steyermark & Otto Huber 497
———.—book review of *The Pteridophytes of Kansas, Nebraska, South Dakota and North Dakota, U.S.A.*, by Aleta Jo Petrik-Ott 468
CRONQUIST, ARTHUR—book review of *Flora of West Virginia*, by P. D. Strausbaugh & Earl L. Core 25
CROW, GARRETT E., The systematic significance of seed morphology in *Sagina* (Caryophyllaceae) under scanning electron microscopy 52–63
Cruciferae: See Brassicaceae
Crudia amazonica 33
Cryptochloa 437, key 438
Cucurbitaceae 5, 12
Cupressaceae 212
Curcuma 23
Cycadaceae 422–424
Cynometra 78
Cyperaceae 2, 12, 191, 194, 284–293
Cytological and reproductive differentiation in *Sedum* section *Gormania* (Crassulaceae), by Melinda F. Denton 197–211
Dactyladenia 483–487; **barteri 484**; **bellayana 484**; **campestris 484**; **chevalieri 484**; **cinerea 484**; **dewevrei 484**; **dichotoma 485**; **dinklagei 485**; **eketensis 485**; *floribunda* 485; **gilletii 485**; **hirsuta 485**; **icondere 485**; **johnstonei 485**; **laevis 485**; **lehmbachii 485**; **letestui 485**; **librevillensis 486**; **lujae 486**; **mannii 486**; **pallescens 486**; **pierrei 486**; **sapinii 486**; **scabrifolia 486**; **smeathmannii 486**; **staudtii 486**; **whytei** 484, **486**, 487
Dactylodenia 483
Dahlia 212
Dalbergia nigra 192
Dalechampia 352–357; sect. *Dioscoreifoliae* 357; sect. *Scandentes* 352, 356, 357; **magnistipulata 352**–357, figs. 353 & 354, map 356; *scandens* 352, 356, 357; *stipulacea* 352, 357; *tiliifolia* 352, fig. 353, 355–357, map 356; *variifolia* 352, 357
Dasanthera 360
Dasylirion 168
DE LUCA, PAOLA & SERGIO SABATO, *Dioon califanoi* (Zamiaceae), a new species from Mexico 170–173
———, ——— & ALBERTO BALDUZZI, *Tillandsia tomasellii* (Bromeliaceae), a new species from Oaxaca, Mexico 474–477
DENTON, MELINDA F., Cytological and reproductive differentiation in *Sedum* section *Gormania* (Crassulaceae) 197–211
Derris latifolia 32
Descurainia pinnata 261
Dialictus 66
Diandrolyra 437, key 438
Dianthera 377; *incerta* 378
Dicranaceae 469, 472
Dicranella 469, 471; **venezuelana 472**
Didymochlamys 313, 323–325, 327, 328, 332; *connellii* fig. 324, 332; *whitei* 332
Dilleniaceae 5, 194
Dioon 170, 171; key to species 171; **califanoi 170**–173, map 171, figs. 172 & 173; *edule* 170, 171; *mejiae* 170, 171; *purpusii* 170, 171; *spinulosum* 170, 171
Dioon califanoi (Zamiaceae), a new species

from Mexico, by Paolo De Lucas & Sergio Sabato 170–173
Dioscoreaceae 13
Dioscorea sect. *Stenophora* 20
Diplachne 399–404; key to genus 401; key to U.S. and Canadian species 401, 402; sect. *Diplachne* 402; sect. **Ipnum** 399, **400**, 402; *acuminata* 402; *dubia* 400–402; *fascicularis* 399–402; *halei* 402; *maritima* 402; **monticola** 399, **401**; **panicoides** 399, 401, **402**; *serotina* 401; *uninervia* 402; *viscida* 400–402
Diplachne and *Leptochloa* (Poaceae) in North America, by J. McNeill 399–404
Diplacrum 293; **exiguum** 284, **293**
Diplopterys 108, 109; **cabrerana 109**
Distichia muscoides 246
Distribution maps: *Artemisia packardiae* 456; *Asclepias welshii* 112; *Cnidoscolus tubulosus* alliance 127; *Dalechampia magnistipulata*, *D. tiliifolia* 356; *Dioon califanoi* 171; *Echinodorus bolivianus* 277; *Galium arkansanum* 279; *Hunga* 90; *Licania palawanensis* 93; *Lomatium junceum* 98; *Penstemon acuminatus* vars. 235, *P. angustifolius* var. *vernalensis* 239, *P. barnebyi* 225, *P. dolius* vars. 219, *P. janishiae* 225, *P. miser* 225, *P. mucronatus* 239, *P. patricus* 239; *Rostkovia magellanica* 245; *Sedum albomarginatum*, *S. moranii*, *S. oblanceolatum*, *S. oregonense* 201, *S. laxum* subsp. 202, *S. obtusatum* subsp. 203; *Smilax jamesii* 419; *Turpinia*, New World 47; *Wizlizenia refracta* subsp. 335, 343, 345
Ditrichaceae 469, 470, 472, 488–490
Dodecatheon 70; *meadia* 64
Dolichopetalum 24
Donatia novae-zelandiae 245
Dracocephalum 20
Dragma Hippomanicum IV. New taxa of *Astragalus* sect. *Humillimi*, by Rupert C. Barneby 459–463
Duggena 317
Dukea 299, 300, 317; sect. *Uniloculata* 300; *blumii* 306; *chariantha* 304; *dariensis* 306; *euryphylla* 300, 304, 308; *panamensis* 300, 306, 307; *trifoliata* 306; *victoriae* 306
Dusenia borgenii 389
Dwarf mistletoes 212–216
Ebenaceae 13
Eccremidium 470
Echeandia 69; *macrocarpa* 64–71, fig. 68
Echinocactus grandis 146
Echinodorus 276–278; subgenus *Helianthium* 276; *austroamericanus* 276; **bolivianus 276**–278, fig. 277, map 277; *latifolius* 276; *quadricostatus* 276; *tenellus* 276
Ecuador: *Rostkovia magellanica* 243; Vaccinieae 156–163
Ekmanochloa 437, key 438
Elachanthemum 23
Elaeagnaceae 13
Elaeocarpaceae 5
Eleocharis 287; sect. *Limnochloa* 285; *lankana* 285, 287; **macrorrhiza** 284–287, **285**, fig. 286; *sphacelata* 287
Elmigera 363
Enargea 243
Entodon 379, 393; *inflexus* 382; *purpurascens* 392, 393
Entodontaceae 379, 380
Eobruchia 469–472, **470**, fig. 471; **bruchioides 470**, fig. 471
Epimedium 25
Eragrosteae 399, 400
Eremochloa 448
Eremochloë 446, 448; *bigelovii* 451; *kingii* 450
Ericaceae 5, 13, 156–163, 194
Ericameria 265–275; sect. *Ericameria* 273, key 273; sect. **Stenotopsis** 265, 272, **273**, key 273; *cooperi* 265–274, fig. 267, map 270, subsp. **bajacalifornica** 265, map 270, 273, **274**, key 274, subsp. *cooperi* map 270, 274, key 274; *laricifolia* 266–272, fig. 267; **linearifolia** 265–274, **273**, fig. 267, map 270; *monactis* 274; *parrasana* 265–269, fig. 267, 271, 272
Erigeron 23; *poliospermus* 261
Eriocaulaceae 194
Eriogonum: *novonudum* 454; *thymoides* 261
ERTTER, BARBARA. See Grimes & Ertter 454–458
Eryngium 365–372; **brasiliense** 365, **367**–369, fig. 368, 371; *delarocheanum* 367; *eurycephalum* 367; *falcifolium* 371; *horridum* 367; *humboldtii* 367; **irwinii** 365, fig. 370, **371**, 372; *malmeanum* 367; *marginatum* 371; *megapotamicum* 367, 369; *oligodon* 367; *paniculatum* 367, 369; *paraguariensis* 369; *rauhianum* 367; **rochei 365**–367, fig. 366; *sellowii* 367, 369; *zosterifolium* 372
Erythrina glauca 195
Erythrodontium 379; *fluminense* 379
Erythroxylum areolatum 297
Eschweilera coriaceum 33
Eucommiaceae 5
Eugenia 33; *inundata* 33
Euglossa 66, 352
Eulaema 352
Euphorbiaceae 13, 24, 31, 125–148, 193, 352–357
Euponino, Antônio 186, 187
Euscaphis 41; *japonica* 43; *rugosa* 43; *staphyleoides* 43
Euterpe oleracea 31, 32
Exostyles 74, 77
Fagaceae 13, 22
FAIREY, JOHN E., III. See Nelson & Fairey 491–494
FANTZ, PAUL R., A new section of *Clitoria* subgenus *Neurocarpum* (Leguminosae) and a new species endemic to Thailand 115–118
Fargesia spathacea 495
Ferns: *Hemionitis* 405–412, 494
Ferocactus robustus 146
Ferula 23

Festuca 21
Festuceae 399
Fimbristylideae 284–293
Fimbristylis: sect. *Cinnamometorum* 291, 292; sect. *Fimbristylis* 288; sect. *Pogonostylis* 288; *bisumbellata* 287, 288; *gracilenta* 288; *merrillii* 287, 288; **parvilenta** 284, fig. 286, **287**, 288; *savannicola* 291, 292; **subtricephala** 284, **291**, 292, fig. 292
Fissidentaceae 472
Flacourtiaceae 5
Flavonoid chemistry of *Arceuthobium* (Viscaceae), by Daniel J. Crawford & Frank G. Hawksworth 212–216
Flavonoids: *Hemionitis* 405–412, 494
Flora da Região Cacaueira 183
Flora Reipublicae Popularis Sinicae 1, 2, 5, 9
Floristic investigation of the Cocoa-producing Zone of the States of Bahia and Espírito Santo 183
Forest: Floodplain 26, 29, 35; mangrove 26, 29, 34, 35; mixed water inundated 35, 36; seasonal várzea (swamp) 26, 29, 31–33, 35, 36; tidal várzea (swamp) 26, 29–32
Forsstroemia borgenii 389
Fossils: Fruits and seeds of the Brandon Lignite, *Turpinia* 39–51
Fouquieria: *formosa* 143; *splendens* 168
Fragilariaceae 119
Fraxinus 4
Fritillaria 21
Froesiochloa 437, key 438
Fruits and seeds of the Brandon Lignite III. *Turpinia* (Staphyleaceae), by Bruce H. Tiffney 39–51
FRYXELL, PAUL A., The genus *Sidastrum* E. G. Baker (Malvaceae): A correction 298
Fuchsia 243, 323; *microphylla* subsp. *aprica* 67
Fumariaceae 13
Gaimardia 243
Galium 279–283; *arkansanum* 279–283, map 281, var. *arkansanum* 281–283, fig. 282, key 283, var. **pubiflorum** 279, **281**–283, fig. 282, key 283
Garckea 470
Gardenieae 314, 326
GATES, BRONWEN, New names in *Banisteriopsis* and *Diplopterys* (Malpighiaceae) of the Guayana Highland 108–109
Gentianaceae 13, 52
Gentiana sedifolia 243
Genus *Sidastrum* E. G. Baker (Malvaceae): A correction, by Paul A. Fryxell 298
Geraniaceae 13
Gerardia fruticosa 361
Gesneriaceae 13, 24
GIANNASI, DAVID E. & JOHN T. MICKEL, Systematic implications of flavonoid pigments in the fern genus *Hemionitis* (Adiantiaceae) 405–412, 494 (errata)
Glycine subgenus *Glycine* 53
Glycyrrhiza 23
Gonzalagunia 313, 315, 317, 325, 328, 330; *bunchosoides* fig. 318, 330; *cornifolia* 330; *dependens* 330; *panamensis* 330; *spicata* 330
Gonzalea 317
Gouinia 400
Gramineae: See Poaceae
Grasses 185, 188, 195
Grias 211
Griffonia 483; *barteri* 484; *mannii* 486
GRIMES, JAMES W. & BARBARA ERTTER, A new species of *Artemisia* (Asteraceae: Anthemidae) from southeastern Oregon 454–458
Griselinia 243
Guatemala: *Macromitrium crumianum* 395–398
Guayana Highland: *Banisteriopsis*, *Diplopterys* 108, 109
Guettarda 119; sect. *Laugeria* 120; *densiflora* 121; *resinosa* 121
Guettardeae 119, 122
Gustavia 211; *augusta* 31
Gymnogramme: *delavayi* 411; *subcordata* 411
Gymnopteris 405–411; *bipinnata* 406, 409, 411; *rufa* 405, 406, 409; *subcordata* 406, 409; *tomentosa* 406, 409; *vestita* 406, 409
Gymnospermae 2, 9
Habroneuron 313, 327, 328
Hage, José Leandro 187
Hamamelidaceae 5, 14
Hamelieae 299, 326
Haplocladium microphyllum 379
Haplopappus 265–275; sect. *Ericameria* 265, 271; sect. *Macronema* 273; sect. *Stenotopsis* 265, 271, 273; sect. *Stenotus* 273; sect. *Tonestus* 273; *cooperi* 265, 274; *interior* 273; *laricifolius* 265; *linearifolius* 265–275, var. *interior* 273; *monactis* 274; *nanus* 456; *parrasanus* 265
Harleyodendron 72–78; **unifoliolatum 72**–78, figs. 73 & 75 & 76
Harleyodendron, a new genus of Leguminosae (Swartzieae), by Richard S. Cowan 72–78
Harley, Raymond M. 187
HAWKSWORTH, FRANK G. See Crawford & Hawksworth 212–216
Hechtia 146, 168; *podantha* 375
Hedyotideae 328
Hedyotis 164; *acerosa* 168, var. *bigelovii* 168, var. *polypremoides* 168; *intricata* 168; *mullerae* 169; *ouachitana* 281; *polypremoides* 168
Heinsia 326
Heliconia 31
Hemionitis 405–412, 494 (errata); *arifolia* 406, 409; **bipinnata 411**; *elegans* 406, 409; *levyi* 406, 409; *palmata* 405, 406, 409; *palmata* × *pinnatifida* 406, 408; *palmata* × *Gymnopteris rufa* 406, 408; *pinnatifida* 406, 409; *rufa* 411; **subcordata 411**; *tomentosa* 411; *vestita* 411
HENRICKSON, JAMES & RICHARD A. HILSENBECK, New taxa and combinations in *Siphonoglossa* (Acanthaceae) 373–378

Herbarium of the "Centro de Pesquisas do Cacau" at Itabuna, Brazil, by Scott A. Mori & Luiz Alberto Mattos Silva 177–196
Herbarium of Warren H. Lewis 431, 432
Heterocladium 379, 380; *gastrodes* 386
Heteropterys cinerascens 108
Hevea brasiliensis 31
HILSENBECK, RICHARD A. See Henrickson & Hilsenbeck 373–378
Hippophae 23
Hippotis 313, 320, 321, 327, 328, 331; *albiflora* 331; *brevipes* fig. 322, 331; *lasserii* 331; *tubiflora* 331
Hirtella 480; subgenus *Afrohirtella* 480; *cerebriformis* 482; *tamenaka* 482
HOLMGREN, NOEL H.—book review of *A Guide to Botanical Resources of Southern California*, by Janice R. Bartel & Sage Culpepper Belt 107
———.—book review of *Common Texas Grasses: An Illustrated Guide*, by Frank W. Gould 196
———.—book review of *Flora of South Australia, Part I. Lycopodiaceae—Orchidaceae*, Third edition, by J. M. Black, revised and edited by John P. Jessop 51
———.—book review of *Nouvelle Flore du Liban et de la Syrie*, Tome III, by Paul Mouterde, issued by A. Charpin & W. Greuter 118
———.—book review of *Terrestrial Vegetation of California*, edited by Michael G. Barbour & Jack Major 432
———, New penstemons (Scrophulariaceae) from the Intermountain Region 217–242
———, Nomenclatural changes in some intermountain penstemons (Scrophulariaceae) 104–107
———. See Barneby & Holmgren 96–100
———, Subgeneric and sectional names for Intermountain *Penstemon* (Scrophulariaceae) 358–364
——— & PATRICIA K. HOLMGREN, A new species of *Asclepias* (Asclepiadaceae) from Utah 110–114
HOLMGREN, PATRICIA K. See Holmgren & Holmgren 110–114
HOLM-NIELSEN, LAURITZ B., The identity of *Alisma boliviana* Rusby (Alismataceae) 276–278
Holocalyx 72, 77
Homomallium connexum 393
Houstonia 164–169; key to *acerosa, butterwickiae, longipes, nigricans, palmeri* 166; key to *acerosa* subsp. 169; key to *fasciculata, teretifolia* 168; *acerosa* subsp. *acerosa* 168, 169, subsp. **polypremoides** 164, 166, **168**, 169; **butterwickiae 164**–166, fig. 165; *fasciculata* 166, 168; *longipes* 166; **mullerae** 164, **169**; *nigricans* 166, 169; *palmeri* 166; *polypremoides* 168, var. *bigelovii* 168; *rubra* 168; **teretifolia** 164, **166**–168, fig. 167
Huerta 41, 48
Hunga 79–91, figs. 82, 85, 87 & 89, map 90; key to species 80, 81; **gerontogea** 80, **81**–84, fig. 82, map 90; **lifouana** 80, fig. 82, 84, **86**, 88, map 90; **longifolia** 80, **84**, figs. 85 & 89, map 90; **mackeeana** 80, **81**, map 90; **minutiflora** 80–**83**, fig. 82, 84, map 90; **novoguineensis** 81, 84, fig. 87, **88**, 89, map 90; **papuana** 81, 84, figs. 87 & 89, **88**, 89, map 90; **rhamnoides** 80, **84**–86, fig. 85, map 90
HUNZIKER, ARMANDO & ANA M. ANTON, A synoptical revision of *Blepharidachne* (Poaceae) 446–453
Hura crepitans 31
Hydrocharitaceae 14
Hydrocotyle bonariensis 191
Hymenaea comosa 32
Hymenoptera 65
Hypnum: subgenus *Heterocladium* 380; *gastrodes* 386; *inflexum* 382, 384
Hypochoeris sonchoides 243
Icacinaceae 14
Identity of *Alisma boliviana* Rusby (Alismataceae), by Lauritz B. Holm-Nielsen 276–278
Igapó 26–28, 31–36, figs. 32–34 & 36; permanent 26, 29, 35; seasonal 26, 29, 32, 33
Illiciaceae 14
Illinois: *Opuntia fragilis* 478, 479
Impatiens 21
Information, entropy, and the evolution of living systems, by Karl J. Niklas 428–430
Inga bourgoni 32
Instructions to contributors 174–176
Intermountain region: *Penstemon* 104–107, 217–242, 358–364
Ipnum 400
Ipomoea pes-caprae 191
IRWIN, HOWARD S. & RUPERT C. BARNEBY, Three new Brazilian species of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae) 149–155
——— & ———, Two new Brazilian species of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae) 464–468
Isertia 302, 313–317, 325, 326, 328, 330; *coccinea* fig. 316, 330; *haenkeana* fig. 316, 330; *longifolia* 330; *parvifolia* 330; *pittieri* 330
Isertieae 299, 302, 313–332; key to neotropical genera 315
Iteaceae 14
Ivesia: *gordonii* 457; *rhypara* 454, 457
Ixora 299; *escalerae* 304
Ixoreae 299, 326
JACOBSEN, TERRY D., A new species of *Allium* (Liliaceae) 413–415
Jatropha 125, 133; sect. *Cnidoscolus* 125; subsect. *Calyptrosolen* 125, 133; subsect. *Eucnidoscolus* 125; *andrieuxii* 134; *cordifolia* 130, 132; *dioica* 143; *jurgensenii* 130, 134; *liebmannii* 125, 144, 147; *quinqueloba* 128; *tubulosa* 125, 133, 134, 146, var. *quinqueloba* 130, 133, 134, 138, var. *septemloba* 128, 133, 134, var. *triloba* 133, 134

Jesus, José Almeida de 187
Jovellana 243
Jugastrum 33
Juglandaceae 14
Juncaceae 243–247
Juncus 243; *bufonius* 246; *chilensis* 246; *pallidus* 245; *planifolius* 245; *procerus* 245; *scheuchzerioides* 246; *stipulatus* 246
Juniperus 274; *bermudiana* 297; *scopulorum* 261
Juniper, Utah 110
Justicia 373, 377, 378; *buchii* 378; *canbyi* 377
Justicieae 373
Justiciinae 373
KARNOSKY, DAVID F.—book review of *Cytology of Himalayan Hardwoods*, by P. N. Mehra 312
———.—book review of *Plant Breeding for Pest and Disease Resistance*, by G. E. Russell 424
Keckiella 218, 361
KELLER, SUE, A revision of the genus *Wislizenia* (Capparidaceae) based on population studies 333–351
Kengia 401
Keys: Amazonian forests subject to inundation 29; *Arberella* 439; *Asclepias*, Tomentosae group 113, 114; *Astomiopsis* 490; *Astragalus siliceus*, *A. wittmannii* 461; *Blepharidachne* 450; *Cnidoscolus rostratus* subsp. 138, *C. tubulosus* complex 127, 128; *Dioon* 171; *Diplachne* 401, 402; *Ericameria* sects. 273, *E. cooperi* subsp. 274; *Galium arkansanum* vars. 283; *Houstonia acerosa* subsp. 169, *H. acerosa*, *H. butterwickiae*, *H. longipes*, *H. nigricans*, *H. palmeri* 166, *H. fasciculata*, *H. teretifolia* 168; *Hunga* 80, 81; Isertieae (Rubiaceae) neotropical genera 315; *Leptochloa* 401–403; *Licania*, Malesian 94, subgenus *Moquilea* sect. *Moquilea* 250–252; *Lomatium*, *Cynomarathrum* species, Colorado Plateau & Great Basin 99; *Neolaugeria* 120; Olyreae (tribe) genera 438, 439; *Penstemon* sect. *Coerulei* 228, *P.* sect. *Cristata* 221, *P. acuminatus* vars. 232, *P. angustifolius* vars. 229, *P. dolius* vars. 219, *P. kingii* group 237, 238; *Raritebe palicoureoides* subsp. & vars. 303; *Sagina*, North America, seeds 62; *Smilax herbacea* complex 420; *Trachyphyllum* 381; *Wislizenia refracta* subsp. 347
KIRKBRIDE, JOSEPH H., JR., *Raritebe*, an overlooked genus of the Rubiaceae 299–312
KIRKBRIDE, M. CRISTINA GARCÍA, Review of the Neotropical Isertieae (Rubiaceae) 313–332
Kobresia 24
Kostermanthus 79, **91**, 92, 94; **heteropetalus 91**, fig. 92, 94; **malayanus 94**
KOYAMA, TETSUO—book review of *Aquatic and Wetland Plants of Southeastern United States*, by Robert K. Godfrey & Jean W. Wooten 394
———, Studies in the Cyperaceae of Thailand II. Miscellaneous taxa of Fimbristylideae, Rhynchosporeae, Scirpeae and Sclerieae 284–293
KRAL, ROBERT. See Wofford & Kral 257–260
Labiatae: See Lamiaceae
Laguncularia racemosa 35, 191
Lamaireocereus stellatus 143
Lamiaceae 2, 14, 23, 24, 491–494
LANDRY, GARRIE P. & MARCIA C. WILSON, A new species of *Ceratozamia* (Cycadaceae) from San Luis Potosí 422–424
Lanna Sobrinho, José de Paula 187
Lardizabalaceae 15
Larrea 375; *tridentata* 168
Lasia borgeni 389
Lasioglossum 66
Laugeria 119, 120; *apiculata* 120; *coriacea* 120; *densiflora* 121; *hotteana* 120; *latifolia* 121; *lineolata* 120; *lucida* 120; *resinosa* 119–121; *tomentosa* 120
Laugieria 119, 120; *odorata* 119, 120
Lauraceae 15
Laurelia 243
Leavenworthia 209
Lecythidaceae 31, 33, 192, 211, 351
Leguminosae 15, 33, 72–78, 115–118, 149–155, 192, 194, 261–264, 464–468, 483
Leguminosites ettingshausenii 44
Leiostemon 361
Leopoldinia pulchra 33, 34
Leptochloa 399–404; key to genus 401; key to U.S. and Canadian species 402, 403; *acuminata* 402; *aquatica* 401; *capillacea* 399; *chinensis* 402; *chloridiformis* 402, 403; *coerulescens* 402; *domingensis* 403; *dubia* 402; *fascicularis* 402, var. *acuminata* 402, var. *maritima* 402; *filiformis* 399, 402, 403; *longa* 402; *mexicana* 400; *monticola* 401; *nealleyi* 403; *panicea* 402; *panicoides* 402; *scabra* 403; *uninervia* 402; *virgata* 399, 403; *viscida* 402
Leptohymenium: *borgenii* 389; *dilatatum* 384; *fabronioides* 382; *ferriezii* 382, var. *imbricatum* 384; *papuanum* 382; *pinnatum* 387
Leptopterigynandrum 379
Leucaena 375
Lewisia rediviva 457
Lewis, Warren H. 431, 432
Libanotis 22
Licania 79, 80, 94; key to Malesian species 94; subgenus *Moquilea* 250, key 250–252; sect. *Moquilea* 250, key 250–252; *angustata* 250; **anneae** 248, **250**, 251, fig. 251; *apetala* 33; *balansae* 83, 84; *britteniana* 252; *chiriquiensis* 250, 252; *egleri* 252; *gerontogea* 81; *gonzalezii* 252; *guatemalensis* 250, 252; *kallunkii* 250, 252; *licaniaeflora* 80; *lifouana* 86; *maranhensis* 251; *minutiflora* 252; *myrsinoides* 89, 91; **palawanensis** 79, 92–**94**, fig. 93, map 93; *platypus* 251; *rhamnoides* 84; *splendens* 79, 94; *tontoutense* 83
Liliaceae 2, 15, 64–71, 413–415
Lily, water 28

Lipostoma 323, 327
Lithachne 437, key 438
Lomatium 96–100; key to *Cynomarathrum* species of Colorado Plateau & Great Basin 99; group *Cynomarathrum* 96, 97, 99; *concinnum* 99; *eastwoodiae* 99; **junceum 96**–99, fig. 97, map 98; *latilobum* 98, 99; *megarrhizum* 96–99; *minimum* 98, 99; *nuttallii* 98, var. *alpinum* 96, 98, 99, var. *nuttallii* 99; *parryi* 99; *scabrum* 99; *simplex* 99; *triternatum* subsp. *platycarpum* 99
Loranthaceae 15
Lucinea 327
Lupinus 53
LUTEYN, JAMES L., Notes on Neotropical Vaccinieae (Ericaceae) VII. Novelties from Ecuador 156–163
Luzula alopecurus 246
Lycopodium 243
Lycoris 22
Lysiloma latisiliqua 297
Lythraceae 15
Machaerium lanatum 32
Maclurolyra 437, key 439
Macrolobium acaciaefolium 33
Macromitrium 398; *cirrosum* 398; **crumianum 395**–398, figs. 396 & 397; *dubium* 395, 398; *dussii* 395, 398; *leprieurii* 395, 398
Macromitrium crumianum (Musci: Orthotrichaceae), a new species from Guatemala, by William C. Steere & William R. Buck 395–398
Magalhães, Cordelito Mota 187
Magnistipula 480–482; subgenus *Magnistipula* 480–482; subgenus *Pellegriniella* 480–482; subgenus **Tolmiella** 480–**482**; sect. **Animalculus** 480, **481**; sect. *Magnistipula* 480, 481; sect. **Peregrinator** 480–482, **481**; bimarsupiata 481; *butayei* 482; **cerebriformis** 480, **482**; *conrauana* 481; *cuneatifolia* 481; *cupheiflora* 481; *glaberrima* 480, 481; *sapinii* 482; **tamenaka** 480–**482**; *tessmannii* 482; *zenkeri* 481
Magnolia 40, 47
Magnoliaceae 15
Malesia: Chrysobalanaceae 79–95
Malpighiaceae 194
Malvaceae 16, 67, 298
Mangrove forest 26, 29, 34, 35
Manicaria saccifera 32
Manihot 193
Manihotoides pauciflora 143
Maps: See distribution maps
Marantaceae 192
Maranthes 79
Marsipospermum 243, 245; *grandiflorum* 246
Mastichodendron foetidissimum 297
MASTROGIUSEPPE, JOY D. See Sauer, Mastrogiuseppe & Smookler 261–264
Mauritia: *aculeata* 33; *flexuosa* 32
MCNEILL, J., *Diplachne* and *Leptochloa* (Poaceae) in North America 399–404
Megastachya panicoides 402
Melastomataceae 5, 52, 194
Meliaceae 16, 31, 188
Melipona beecheii 66
Mello Filho, Luiz Emygdio de 187
Menispermaceae 16
Mentzelia 52; *packardiae* 454
Metopium toxiferum 297
Mexico: *Astomiopsis* 488–490; *Cnidoscolus* 125–148; *Dalechampia* 352–357; *Dioon califanoi* 170–173; *Jatropha liebmannii*, *J. tubulosa* 125–148; *Tillandsia tomasellii* 474–477
MEYER, FREDERICK G., A new species of *Valeriana* (Valerianaceae) from Venezuela 101–103
MICKEL, JOHN T. See Giannasi & Mickel 405–412, 494
Miconia 194
Mildbraediodendron 77
Mimosaceae: See Leguminosae
Mimosoideae 78
Misapplication of the name *Stachys nuttallii* (Lamiaceae) to a new Southeastern species, by John B. Nelson & John E. Fairey, III 491–494
Mistletoes, Dwarf 212–216
Mniochloa 437, key 438
Monotropaceae 16
Monotropastrum 24
MONTALVO, EDY A. See Bernhardt & Montalvo 64–71
Moraceae 31, 194
Mora paraensis 32
Mori, Scott Alan 188
MORI, SCOTT A. & LUIZ ALBERTO MATTOS SILVA, The herbarium of the "Centro de Pesquisas do Cacau" at Itabuna, Brazil 177–196
Moss 3, 379–394
Munroa 446, 448, 451; *benthamiana* 448, 451
Munronia 23
Musaceae 31, 192
Musci 395–398
Mussaenda 300, 313–316, 325, 328, 330; *coccinea* 330; *erythrophylla* 330; *glabra* fig. 316, 330; *phillipica* 330; *pubescens* 330
Mussaendeae 299, 300, 314, 315
MUSSELMAN, LYTTON J. See Nickrent & Musselman 253–256
Myristica 23
Myristicaceae 16
Myrsinaceae 16
Myrtaceae 5, 33, 194
NELSON, JOHN B. & JOHN E. FAIREY, III, Misapplication of the name *Stachys nuttallii* (Lamiaceae) to a new Southeastern species 491–494
Neolaugeria 119–124; key to species 120; **apiculata** 119–122, **120**; **densiflora** 119–122, **121**; **resinosa** 119–122, **121**
Neolaugeria, a new name for *Terebraria* (Rubiaceae) of the West Indies, by Dan H. Nicolson 119–124
Neosabicea 313, 327, 328
Neotropics: Isertieae (Rubiaceae) 313–332

Neurolepis 243
New *Arenaria* (Caryophyllaceae) from the Cumberlands of Tennessee, by B. Eugene Wofford & Robert Kral 257–260
New euglossine-pollinated species of *Dalechampia* (Euphorbiaceae) from Mexico, by Grady L. Webster & W. Scott Armbruster 352–357
New genera and species of Chrysobalanaceae from Malesia and Oceania, by Ghillean T. Prance 79–95
New names in *Banisteriopsis* and *Diplopterys* (Malpighiaceae) of the Guayana Highland, by Bronwen Gates 108–109
New penstemons (Scrophulariaceae) from the Intermountain Region, by Noel H. Holmgren 217–242
New section of *Clitoria* subgenus *Neurocarpum* (Leguminosae) and a new species endemic to Thailand, by Paul R. Fantz 115–118
New species and combinations in *Houstonia* (Rubiaceae), by Edward E. Terrell 164–169
New species of *Allium* (Liliaceae), by Terry D. Jacobsen 413–415
New species of *Artemisia* (Asteraceae: Anthemidae) from southeastern Oregon, by James W. Grimes & Barbara Ertter 454–458
New species of *Asclepias* (Asclepiadaceae) from Utah, by Noel H. Holmgren & Patricia K. Holmgren 110–114
New species of *Astomiopsis* (Ditrichaceae) from Mexico, by William R. Buck 488–490
New species of *Ceratozamia* (Cycadaceae) from San Luis Potosí, by Garrie P. Landry & Marcia C. Wilson 422–424
New species of *Lomatium* (Apiaceae) from Utah, by Rupert C. Barneby & Noel H. Holmgren 96–100
New species of *Valeriana* (Valerianaceae) from Venezuela, by Frederick G. Meyer 101–103
New taxa and combinations in *Siphonoglossa* (Acanthaceae), by James Henrickson & Richard A. Hilsenbeck 373–378
New variety of *Galium arkansanum* (Rubiaceae) endemic to the Ouachita Mountains of Arkansas, by Edwin B. Smith 279–283
NICKRENT, DANIEL L. & LYTTON J. MUSSELMAN, Autogamy in the American strain of witchweed, *Striga asiatica* (Scrophulariaceae) 253–256
NICOLSON, DAN H., *Neolaugeria*, a new name for *Terebraria* (Rubiaceae) of the West Indies 119–124
NIKLAS, KARL J., Information, entropy, and the evolution of living systems 428–430
Nomenclatural changes in some intermountain penstemons (Scrophulariaceae), by Noel H. Holmgren 104–107
North America: *Diplachne*, *Leptochloa* 399–404
Notes from the New York Botanical Garden Herbarium I. The Herbarium of Warren H. Lewis, by Eileen K. Schofield 431–432
Notes on Neotropical Vaccinieae (Ericaceae) VII. Novelties from Ecuador, by James L. Luteyn 156–163
Notes on the vegetation of Amazonia III. The terminology of Amazonian forest types subject to inundation, by Ghillean T. Prance 26–38
Nothochelone 218
Nothophlebia 320
Notopterygium 21
Nyssa 40, 47
Nyssaceae 16
Oak, Gambel 110
Oceania: Chrysobalanaceae 79–95
Ochnaceae 122
Ocotillo 375
Odontonemeae 373
Olacaceae 16
Oldenlandia 164, 326; *umbellata* 310
Oleaceae 16
Olyra 435, 437, 439; key 439; *flaccida* 433, 439, 443
Olyreae 433, 437, 439; key to genera 438, 439
On the distribution of *Rostkovia magellanica* (Juncaceae), a species newly rediscovered in Ecuador, by Henrik Balslev 243–247
Opuntia 146, 375, 478, 479; *compressa* 479; *decumbens* 146; *fragilis* 478, 479; *macrorhiza* 478, 479
Opuntia fragilis (Cactaceae) verified in Illinois flora, by Charles J. Sheviak 478–479
Orchidaceae 16, 24, 294–297, 483
Oregon: *Artemisia* 454–458
Oreobolus pectinatus 245
Orinus 401
Orthaea: *ferreyrae* 160, 161; **fimbriata** 156, **160**–162, fig. 161; *peregrina* 160, 161
Orthotrichaceae 395–398
Ottoschmidtia 119
Overlooked new species of *Smilax* (Smilacaceae) from northern California, by G. Ansley Wallace 416–421
Oxypetalum tomentosum 191
Oxystylidaceae 347
Oxystylis 333, 345–347; *lutea* 346
Palmae 16, 24
Palm(s) 32–34, 191, 195; piaçava 191
PALTA, H. K.—book review of *Plant Cell and Tissue Culture Principles and Applications*, edited by W. R. Sharp, P. O. Larsen, E. F. Paddock & V. Raghavan 499
Panax 20, 22
Pandanaceae 17
Papaveraceae 17
Papilionoideae 72, 78
Pariana 437, 443
Parinari 79, 80, 91; subgenus *Pellegriniella* 482; *heteropetala* 91; *kunstleri* 94; *myri-*

andra 91, 94; *neocaledonicum* 81; *tessmannii* 482
Parinarium: *minutiflorum* 83; *myrsinoides* 89; *tontoutense* 83
Parkia pectinata 33
Parthenocissus 40
Patima 313, 327, 328
Paulownia 22
PAYNE, WILLARD W.—book review of *Botanical Dermatology: Plants Injurious to the Skin*, by J. Mitchell & A. Rook, 497–499
Pedilanthus cymbifera 146
Pelargonium graveolens 67
Pennellianthus 218, 361
Pennington, Terence D. 188
Penstemon 104–107, 217–242, 358–364; subgenus *Dasanthera* 360, 361; subgenus *Dissecti* 361; subgenus *Eupentstemon* 359, 361; subgenus *Habroanthus* 361–363; subgenus *Penstemon* 361–363; subgenus *Saccanthera* 359, 361, 363; sect. *Albidi* 360, 362; sect. *Ambigui* 361, 362; sect. *Anularius* 228, 362; sect. *Aurator* 221, 362; sect. *Barbati* 363; sect. *Bridgesiani* 363; sect. *Caespitosi* 361; sect. *Centranthifolii* 360, 362, 363; sect. *Cepososmus* 358; sect. *Coerulei* 228–236, key 228, 359, 362; sect. *Cristati* 221, 362; sect. *Dasanthera* 360; sect. *Deusti* 360, 361; sect. *Elmigera* 358–360, 362, 363; sect. *Emersus* 363; sect. *Erianthera* 358, 360, 361; sect. *Ericopsis* 361; sect. *Eupenstemon* 358–361; sect. *Eusaccanthera* 363; sect. *Fremontiani* 360, 363; sect. *Fruticosi* 359, 361; sect. *Gentianoides* 358, 362, 363; sect. *Glabri* 359, 363; sect. *Graciles* 359–361; sect. *Habroanthus* 363; sect. *Heterophyllii* 360, 363; sect. *Laricifolii* 361; sect. *Legitimi* 358, 361; sect. *Leiostemon* 361, 362; sect. *Leptostemon* 358; sect. *Peltanthera* 362; sect. *Penstemon* 361; sect. *Petiolati* 362; sect. *Saccanthera* 236–239, 358–360, 363; sect. *Spectabiles* 360, 362; sect. *Utahenses* 360, 362; sect. *Verae* 358, 361; subsect. *Ambigui* 358, 359, 361; subsect. *Bridgesiani* 363; subsect. *Caespitosi* 361; subsect. *Centranthifolii* 362; subsect. *Deusti* 361; subsect. *Elmigera* 358, 359, 363; subsect. *Erianthera* 358, 359, 361; subsect. *Fruticosi* 358, 359, 361; subsect. *Genuini* 358, 359, 361; subsect. *Graciles* 361; subsect. *Heterophyllii* 363; subsect. *Laricifolii* 361; subsect. *Petiolati* 362; subsect. *Serrulati* 363; subsect. *Speciosi* 358, 359, 363; subsect. *Spectabiles* 362; ser. *Deusti* 361; ser. *Graciles* 361; ser. *Speciosi* 363; ser. *Virgati* 106; species group *Acuminati* 360, 362; species group *Ambigui* 360, 361; species group *Azurei* 360; species group *Barbati* 360, 363; species group *Bridgesiani* 360, 363; species group *Caespitosi* 360, 361; species group *Conferti* 360; species group *Cristati* 360, 362; species group *Erianthera* 361; species group *Fruticosi* 360; species group *Genuini* 361; species group *Glabri* 360, 363; species group *Laricifolii* 360, 361; species group *Palmeriani* 362; species group *Petiolati* 360, 362; species group *Punicei* 363; species group *Speciosi* 363; species group *Whippleani* 360; *acuminatum* 234; *acuminatus* 228, 231, 232, 362, var. *acuminatus* 232, key 232, 234, map 235, var. *congestus* 105, var. **latebracteatus** 217, key 232, **232**–235, fig. 233, map 235; *aggregatus* 106; *albidus* 362; *ambiguus* 362, subsp. *laevissimus* 104, var. **laevissimus 104**; *angustifolium* 229; *angustifolius* 228–231, 362, var. *angustifolius* 104, 228, 229, subsp. *caudatus* 231, var. *caudatus* 104, 229, 231, f. *caudatus* 231, subsp. *venosus* 104, 231, var. **venosus 104**, 229, 231, var. **vernalensis** 217, **229**–231, fig. 230, map 239; *atwoodii* 221, 227; *austini* 105: *baccharifolius* 164, 361; *barbatus* 362, 363; **barnebyi** 217, 220, 221, map 225, **226**–228, fig. 227; *breviculus* 105; *bridgesii* 363; *caeruleum* 229; *caespitosus* 107, 361, subsp. *desertipicti* 104, var. **desertipicti 104**, subsp. *perbrevis* 104, var. **perbrevis 104**, subsp. *suffruticosus* 106, var. *suffruticosus* 106, 107; *caudatus* 231; *centranthifolius* 362, 363; *cleburnii* 221; *coeruleus* 362; *concinnus* 221, 226; *confertus* var. *modestus* 106; *confusus* 106, subsp. *patens* 106, var. *patens* 106; *congestus* 105; *crandallii* 107, subsp. *atratus* 105, var. **atratus 105**; *cristatus* 362; *cusickii* 237, 359; *cyananthus* 105, 363, subsp. *subglaber* 105, var. **subglaber 105**; *cyathophorus* 228, 236; *desertipicti* 104; *deustus* 361; *dolius* 218–220, var. *dolius* 219, map 219, var. **duchesnensis** 217, **219**, map 219, 220, fig. 227; *eatonii* 363; *eriantherus* 221, 362; *floridus* subsp. *austinii* 105, var. **austinii 105**; *fremontii* 363, var. *subglaber* 105; *frutescens* 361; *fruticosus* 361, var. *scouleri* 361; *gentianoides* 218; *glaber* 363; *goodrichii* 105; *gormanii* 218, 221; *graciles* 361; *grahamii* 221; *harringtonii* 228, 236; *heterophyllus* 363; *holmgrenii* 105; *humboldtii* 362; *imberbis* 362; *immanifestus* 104, 228; *jamesii* 221; **janishiae** 217, 220–227, fig. 222, **223**, map 225; *kingii* group key 237 & 238; *kingii* 236, 237; *laevigatus* 361; *lanceolatus* 359; *laricifolius* 361; *leonardii* 238; *macranthus* 105, 106; **marcusii 105**; *miser* 220–228, fig. 222, map 225; *modestus* 106; *moffatii* 105, subsp. *marcusii* 105; **mucronatus** 217, 228, **234**–237, fig. 237, map 239; *nitidus* 228; *ophianthus* 221; *osterhoutii* 228, 236; *pachyphyllus* 228, 234, 236, subsp. *congestus* 105, var. **congestus 105**; *palmeri* 106, 362, subsp. *eglandulosus* 105, var. **eglandulosus 105**, var. **macranthus 105**, 106; **patens 106**; **patricus** 217, fig. 237, **238**, 239, map 239; *petiolatus* 362; *platyphyllus* 238, 239; *procerus* 218, subsp.

modestus 106, var. **modestus 106**; *pseudohumilis* 105; **pseudoputus 106**; *rydbergii* subsp. *aggregatus* 106, var. **aggregatus 106**; *scouleri* 361; *secundiflorus* var. *caudatus* 231; *sepalulus* 238, 239; *serrulatus* 218, 363; *speciosus* 363; *spectabilis* 362; *subglaber* 105; *suffrutescens* 107; *suffruticosus* 107; *thompsoniae* 107; *tolmiei* subsp. *modestus* 106; **tusharensis 106**, 107; *utahensis* 362; *venosus* 231; *virgatus* subsp. *pseudoputus* 106; *wardii* 363; *xylus* 107
Pentagonia 313, 320, 321, 327, 328, 331; *brachyotis* fig. 321, 331; *magnifica* 331; *parvifolia* fig. 321, 331; *spathycalyx* 331
People's Republic of China: Phytotaxonomy 1–25
Phacelia linearis 261
Pharus latifolius 443
Philoxerus portulacoides 191
Phoebe 23
Phyllanthus ericoides 164
Phytotaxonomy in the People's Republic of China, by Bruce Bartholomew, Richard A. Howard & Thomas S. Elias 1–25
Pinaceae 212
Pinheiro, Raimundo Soares 184, 188
Pinus: *aristata* 215; *caribaea* 297; *ponderosa* 457
Piperaceae 17, 192
Piranhea trifoliata 31
Piresia 437, key 438
Pithecolobium huberi 32
Pittierothamnus 317
Pittosporaceae 5
Plagiogyria chekiangensis 21
Plantago rigida 243
Platanaceae 5
Platycarya 40
Platygyrium 392; *brevicaudatum* 390; *brevicollum* 382; *ferricolum* 382; *inflexum* 382; *pertenue* 382
Plumbaginaceae 212
Plumbago 212
Poaceae 2, 14, 22, 194, 399–404, 433–453
Poeae 399
Pollination ecology of *Echeandia macrocarpa* (Liliaceae), by Peter Bernhardt & Edy A. Montalvo 64–71
Polygala maravillasensis 165
Polygonaceae 17
Polystachya 294–297; *cerea* 294; *concreta* 297; *foliosa* 294–297, var. *foliosa* fig. 295, var. **triandra 294**, fig. 296, 297; *nana* 294
Pomozotoideae 325
Population studies: *Wislizenia* 333–351
Porella 22
Pottiaceae 472
PRANCE, GHILLEAN T.—book review of *Flora of the Indian Desert*, by H. M. Bhandari 114
———, New genera and species of Chrysobalanaceae from Malesia and Oceania 79–95
———, Notes on the vegetation of Amazonia III. The terminology of Amazonian forest types subject to inundation 26–38
———, Two new species of neotropical Chrysobalanaceae 248–252
——— & FRANK WHITE, Resurrection of the genus *Dactyladenia* (Chrysobalanaceae) 483–487
Primulaceae 17
Pringleella 469–472, fig. 471; *pleuridioides* fig. 471; *sinensis* 470
Proteaceae 17
Prunus virginiana var. *melanocarpa* 261
Pseudopanax 243
Psilotaceae 410
Pteridophyta 9
Pteridophytes 2
Pterigynandrum 379; *fabronioides* 382; *ferricolum* 382; *inflexum* 382
Pterogonium: *curvifolium* 382; *decipiens* 386; *gracile* 21
Ptychomitriaceae 470
Purshia tridentata 261
Pylaisia dusenii 387
Pyrus 212
Raddia 437–439, key 438; *costaricensis* 433, 439
Raddiella 437, key 438
Rafflesiaceae 17, 23
Ranunculaceae 17, 24
Raphia taedigera 32
Raphidostegium 393
Raritebe 299–313, 315, 317, 326, 328, 330; *palicoureoides* 300, 302–304, 306, 309, fig. 318, 330, var. **antioquianum** 299, fig. 301, key 303, **304**, figs. 307 & 309, subsp. **dwyeranum** 299–**304**, fig. 301, key 303, 306–310, figs. 308 & 309, subsp. *palicoureoides* 299, 300, key 303, 304, 310, var. *palicoureoides* fig. 301, key 303, 304, figs. 305 & 306; *viburnoides* 299, 310
Raritebe, an overlooked genus of the Rubiaceae, by Joseph H. Kirkbride, Jr. 299–312
Re-evaluation of the Bruchiaceae with the description of a new genus, by William R. Buck 469–473
Rehia 437, key 438
Reitzia 437, key 439
Remarks on the article by Karl J. Niklas: "Theoretical evolutionary rates in plant groups and the fossil record," by K. Trincher 425–427
Remirea maritima 191
Resurrection of the genus *Dactyladenia* (Chrysobalanaceae), by Ghillean T. Prance & Frank White 483–487
Review of the Neotropical Isertieae (Rubiaceae), by M. Cristina García Kirkbride 313–332
Revision of the genus *Wislizenia* (Capparidaceae) based on population studies, by Sue Keller 333–351
Revision of the moss genus *Trachyphyllum* Gepp (Thuidiaceae), by William R. Buck 379–394
Rheum 22

Rhizophoraceae 17
Rhizophora: *mangle* 35, 189, 191, 297; *racemosa* 35
Rhododendron 5
Rhynchospora 293; **hirticeps** 284, **288**, 289, fig. 289; *rubra* 288, 289, fig. 289, var. *hirticeps* 288, 289
Rhynchosporeae 284–293
ROGERSON, CLARK T.—book review of *Genetics and Physiology of Aspergillus*, edited by John E. Smith & John A. Pateman 275
———.—book review of *Moulds, Toxins and Food*, by Claude Moreau & Maurice Moss 415
———.—book review of *Toxicology, Biochemistry and Pathology of Mycotoxins*, edited by Kenji Uraguchi & Mikio Yamazaki 256
Rondeletia: *bertieroides* 309; *ovata* 309
Rondeletieae 325
Rosa 67
Rosaceae 2, 17, 25, 212
Rostkovia magellanica 243–247, fig. 244, map 245
Rubiaceae 18, 31, 119–124, 164–169, 192, 194, 279–283, 299–332
Rubioideae 327, 328
Rubus rosaefolius 67, 69
Rutaceae 18, 21, 22
SABATO, SERGIO. See De Luca & Sabato 170–173
———. See De Luca, Sabato & Balduzzi 474–477
Sabiaceae 18
Sabicea 313, 315, 319, 320, 326, 328, 330, 331; *asperula* 330; *colombiana* 331; *hirsuta* 331; *umbellata* fig. 319, 331; *velutina* 331; *villosa* 331
Sabiceeae 315, 326
Sagebrush 110
Sagina 52–63; key to seeds of North American species 62; sect. *Maxima* 52, 62; sect. *Sagina* 52, 62; sect. *Saginella* 52; sect. *Spergella* 52; *abyssinica* fig. 58, 59; *apetala* 53, fig. 56, 59, 61, 62; *caespitosa* 53, fig. 57, 62; *crassicaulis* 53; *decumbens* 53, subsp. *decumbens* 53, fig. 55, 59, 61, 62, subsp. *occidentalis* 53, fig. 54, 59, 62; *glabra* 53, fig. 57; *japonica* 53, 59, 61, fig. 61, 62; *litoralis* 53; *maritima* 53, fig. 56; *maxima* 53, 59, subsp. *crassicaulis* 53, 59, fig. 60, 62, subsp. *maxima* 59, fig. 60, 62; *nivalis* 53, fig. 57, 62; *nodosa* 53, 59, 62, subsp. *borealis* fig. 58; *papuana* 59; *procumbens* 52–54, fig. 54, 59, 62; *sabuletorum* 59, fig. 60; *saginoides* 53, fig. 54, 59, 62; *subulata* fig. 54, 62
Salicaceae 18, 24
Salix 21, 261
Salvia polystachya 69
San Luis Potosí: *Ceratozamia hildae* 422–424
Santalaceae 18
Santos, Talmon Soares dos 184, 188
Sapindaceae 18
Sapotaceae 18, 192, 480
SAUER, RONALD H., JOY D. MASTROGIUSEPPE & ROBERT H. SMOOKLER, *Astragalus columbianus* (Leguminosae)—rediscovery of an "extinct" species 261–264
SAULEDA, RUBEN & RALPH M. ADAMS, The taxonomic status of *Polystachya foliosa* (Orchidaceae) in the Bahama Islands 294–297
Saururaceae 18
Saxifraga 23
Saxifragaceae 18
Scanning electron microscopy: Seed morphology in *Sagina* 52–63
Schoenoplectus 291; sect. *Actaeogeton* 291; **annamicus** 284, **291**; *hallii* 291
Schoenus: sect. *Oligostachyi* 291; *pleiostemoneus* 289, 291; **smitinandii** 284, **289**–291, fig. 290
SCHOFIELD, EILEEN K.—book review of *An Illustrated Guide to Pollen Analysis*, by P. D. Moore & J. A. Webb 242
———.—book review of *Wild Flowers of Britain*, by R. Phillips 372
———.—book review of *Wildflowers of Delaware and the Eastern Shore*, by Claude E. Phillips 500
———.—book review of *Wildflowers of Michigan*, by Roberta L. Simonds & Henrietta H. Tweedie 473
———, Notes from the New York Botanical Garden Herbarium I. The Herbarium of Warren H. Lewis 431–432
Schradera 313, 323, 324, 327, 328, 332; *blumii* 332; *cephalophora* 332; *clusiaefolia* 332; *polycephala* fig. 324, 332; *suaveolens* fig. 324, 332; *subsessilis* 332; *surinamensis* 332
Schradereae 327, 328
Schwetschkeopsis elongata 393
Scirpeae 284–293
Scirpus: *affinis* 284; *annamicus* 291; *maritimus* 284, var. *affinis* 284; *planiculmis* 285; *strobilinus* 284; *vulpinicolor* 285
Scleria 293; *exigua* 293; *mikawana* 291; *tessellata* 291
Sclerieae 284–293
Scopolia 21
Scrophulariaceae 2, 18, 24, 104–107, 217–242, 253–256, 358–364
Secale 302
Sedum 197–211; sect. *Gormania* 197–211; sect. *Oreades* 22; *albomarginatum* 197, 198, 200, map 201, 204–207, 210; *laxum* 200, map 202, 205, 207–209, subsp. *eastwoodiae* 197, 198, 200, map 202, 204, 206, 207, 210, subsp. *flavidum* 197, 198, 200, map 202, 204, 206, 207, 210, subsp. *heckneri* 197, 198, 200, map 202, 204–208, 210, subsp. *laxum* 197, 198, 200, map 202, 204, 206–208, 210; *moranii* 197, 198, 200, map 201, 204–207, 210; *oblanceolatum* 197, 198, 200, map 201, 204–207, 210; *obtusatum* map 203, 208, subsp. *boreale*

197, 198, 200, map 203, 204, 206, 210, subsp. *obtusatum* 197, 198, 200, map 203, 204, 206, 210, subsp. *paradisum* 197, 198, 200, map 203, 205–208, 210, subsp. *retusum* 197, 198, 200, map 203, 205, 206, 208, 210; *oregonense* 197, 198, 200, map 201, 205, 206, 208, 210
Seed morphology: *Sagina* under scanning electron microscopy 52–63
Seeds: *Turpinia* 39–51
Senecio ertterae 454
SHEVIAK, CHARLES J., *Opuntia fragilis* (Cactaceae) verified in Illinois flora 478–479
Sicelium 323
Sida 298; *acuminata* 298, var. *bracei* 298, var. *grandiflora* 298, var. *macrophylla* 298, var. *rojasii* 298; *candolleana* 298; *cordifolia* 298; *maculata* 298; *multiflora* 298; *paniculata* var. *compacta* 298; *rojasii* 298
Sidastrum 298; *acuminatum* 298; **multiflorum 298**; *paniculatum* 298
Silene 302
Silva, Luiz Alberto Mattos 188
SILVA, LUIZ ALBERTO MATTOS. See Mori & Silva 177–196
Simarubaceae 19
Sinarundinaria: *murielae* 495; *sparsiflora* 495
Sinopimelodendron 24
Siphonoglossa 373–378; subgenus *Siphonoglossa* 373; sect. **Pentaloba 373**–375; sect. *Siphonoglossa* 373, 374, 377; **buchii** 373, **378**; *calcarea* 378; **canbyi** 373, **377**, 378; *discolor* 378; **durangensis** 373, **375**–378, fig. 376; *greggii* 375; *hondurensis* 378; **incerta** 373, **378**; **linearifolia** 373–377, **374**, fig. 376; *longiflora* 373, 375–377, fig. 376; *pilosella* 374, 375; *ramosa* 374, 378; *sessilis* 378
Siriuba 35
Smilacaceae 19, 416–421
Smilax 416–421; key to *herbacea* complex 420; sect. *Coprosmanthus* 416, 418–420; *californica* 416, 418, 420; *herbacea* 416, 420; **jamesii 416**–420, fig. 417, map 419; *lasioneuron* 420; *pseudo-china* 416, 420; *pulverulenta* 420
SMOOKLER, ROBERT H. See Sauer, Mastrogiuseppe & Smookler 261–264
Soderstrom, Thomas R. 188
SODERSTROM, THOMAS R., Another name for the Umbrella Bamboo 495
——— & CLEOFÉ E. CALDERÓN, *Arberella* (Poaceae: Bambusoideae): A new genus from tropical America 433–445
Solanaceae 19, 52
Solanum 70; *dulcamara* 64
Sommera 313, 320, 321, 327, 328, 331; *grandis* 331; *lanceolata* fig. 321, 331; *sabiceoides* fig. 321, 331
Sophora tomentosa 191
Sophoreae 72
Sorghum 253
South America, tropical: *Eryngium* 365–372
Spergella 52
Sphaeralcea umbellata 67
Sphyrospermum: **boekei** 156, **162**, fig. 162, 163; *grandifolium* 162, 163
Spondias: *lutea* 195; *tuberosa* 193
Sporobolus virginicus 191
Stachys 491, 494; *cordata* 491; **eplingii** 491–494, **492**, fig. 493; *nuttallii* 491–494, fig. 492; *riddellii* 491
Staphylea 39–43, 46; *bessarabica* 44; *bolanderii* 41; *bumalda* 41, 42, 44; *colchica* 41; *pinnata* 41–43; *pliocaenica* 43; *rackowii* 43; *rotundata* 43; *rugosa* 43; *trifolia* 41, 42, 44
Staphyleaceae 5, 39–51
Staphyleoideae 41
STEERE, WILLIAM C. & WILLIAM R. BUCK, *Macromitrium crumianum* (Musci: Orthotrichaceae), a new species from Guatemala 395–398
Stelis foliosa 294
Stemonaceae 19, 24
Stenostomum 120; *apiculatum* 120, 121; *densiflorum* 120, 121; *resinosum* 121
Stenotopsis 265, 273; *interior* 273; *linearifolius* 273, var. *interior* 273
Stenotus 265, 272, 273; *interior* 265, 273; *linearifolius* 265, 273, var. *interior* 273
Stephania 23
Sterculiaceae 19, 22
Sterculia striata 193
Stereodon inflexus 382
Stipa comata 261
Strephium 437, key 438
Striga 253–256; *asiatica* 253–256, fig. 255; *gesnerioides* 253, 256; *hermonthica* 253; *lutea* 253
Striolaria 313, 327, 328
Studies in *Cnidoscolus* (Euphorbiaceae) I. *Jatropha tubulosa, J. liebmannii* and allied taxa from Central Mexico, by Gary J. Breckon 125–148
Studies in the Cyperaceae of Thailand II. Miscellaneous taxa of Fimbristylideae, Rhynchosporeae, Scirpeae and Sclerieae 284–293
Styracaceae 19
Subdivisions of *Magnistipula* Engl. (Chrysobalanaceae), by Frank White 480–482
Subgeneric and sectional names for Intermountain *Penstemon* (Scrophulariaceae), by Noel H. Holmgren 358–364
Swartzia 72; *benthamiana* 77; *grazielana* 77; *madagascariensis* 77
Swartzieae 72–78
Swietenia mahagoni 297
Symphyodon purpurascens 392
Symplocaceae 19
Symplocos 47
Synoptical revision of *Blepharidachne* (Poaceae), by Armando T. Hunziker & Ana M. Anton 446–453
Systematic implications of flavonoid pigments in the fern genus *Hemionitis* (Adiantiaceae), by David E. Giannasi & John T. Mickel 405–412, 494 (errata)

Systematic significance of seed morphology in *Sagina* (Caryophyllaceae) under scanning electron microscopy, by Garrett E. Crow 52–63
Tabebuia: *aquatilis* 32; *bahamensis* 297; *barbata* 33
Tahuampa 26, 28
Tammsia 313, 321–323, 327, 328, 331; *anomala* fig. 322, 331
Tapiscia 41, 43, 48
Tapiscioideae 41
Taxonomic affinities of *Haplopappus linearifolius* (Asteraceae—Astereae), by Lowell E. Urbatsch & James R. Wussow 265–275
Taxonomic status of *Polystachya foliosa* (Orchidaceae) in the Bahama Islands, by Ruben P. Sauleda & Ralph M. Adams 294–297
Taxus 22
Tennessee: *Arenaria cumberlandensis* 257–260
Terebraria 119–124; *apiculata* 120; *densiflora* 121; *hotteana* 119, 120; *lineolata* 119, 120; *resinosa* 119, 121
TERRELL, EDWARD E., New species and combinations in *Houstonia* (Rubiaceae) 164–169
Tetrachondra 243
Thailand: *Clitoria* 115–118; Cyperaceae 284–293
Thalictrum 24
Thamnocalamus 495; *sparsiflorus* 495; **spathaceus 495**
Theaceae 194
Thecaceae 19
Theobroma cacoa 182
Thiloa glaucocoepa 193
Three new Brazilian species of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae), by Howard S. Irwin & Rupert C. Barneby 149–155
Three new species of *Eryngium* (Umbelliferae) from tropical South America, by Lincoln Constance 365–372
Thuidiaceae 379–394
TIFFNEY, BRUCE H., Fruits and seeds of the Brandon Lignite III. *Turpinia* (Staphyleaceae) 39–51
Tilia: *amurensis* 24; *mandschurica* 24
Tiliaceae 19
Tillandsia: *fasciculata* 474; **tomasellii 474**–477, figs. 475 & 476; *xerographica* 474
Tillandsia tomasellii (Bromeliaceae), a new species from Oaxaca, Mexico, by Paolo De Luca, Sergio Sabato & Alberto Balduzzi 474–477
Timonius 122
Tontanea 323
Trachyphyllum 379–394; key to species 381; subgenus **Carinatum** 379, 381, **389**–393; subgenus *Trachyphyllum* 379, 381–390; *andoi* 390, 392; *borgenii* 379, 381, fig. 388, 389; *carinatum* 379, 381, 389–393, fig. 391; *curvifolium* 382, fig. 383; *dilatatum* fig. 383, 384; *dusenii* 379, 381, 382, 387–389, fig. 388; *elongatum* 393; *fabronioides* 382, fig. 383, var. *comorense* 384, var. *ferriezii* 382, var. *imbricatum* 384; *ferricolum* 382; *ferriezii* 382, fig. 383, var. *abbreviatum* 384; *fragilifolium* 393; *gastrodes* 379–382, fig. 383, 385–389, 393; *hoponense* 393; *inflexum* 379–390, fig. 383, 393, f. *filiforma* 384, var. *patentifolium* 384; *jeyporense* 379, 381, 390–393, fig. 391; *kanedae* 393; *maximum* fig. 383, 386, 387; *neocalidonicum* 384; *papuanum* 382; *pinnatum* 387, 388, fig. 388; **touwianum** 379, 381, 390, fig. 391, **392**, 393
Trachypteris 410; *pinnata* 410
Trema 194
Trematodon 469, 470, 472; *ambiguus* 469; *aureus* 469; *flexipes* 469; *lozanoi* 469; *mirabilis* 469; *paradoxus* 469
Trematodontoideae 469
Trichelostylis 292
Trichosanthes 25
Trifolium owyheense 454
Trillium kurabayashii 420
TRINCHER, K., Remarks on the article by Karl J. Niklas: "Theoretical evolutionary rates in plant groups and the fossil record" 425–427
Tripogon spicatus 400
Tropaceae 19
Tumionella monactis 274
Turpinia 39–51, fig. 45, map 47; *arguta* 44; *ettingshausenii* 43, 44, 46, 48; *formosana* 42, 44; *heterophylla* 43–45, fig. 45; *lamarense* 49; *laxifolia* 42; *montana* 42; *occidentalis* 46; *paniculata* 43, 46; *pomifera* 42; *ternata* 44; **uliginosa** 39, 44, fig. 45, **46**–48
Two new Brazilian species of *Chamaecrista* Moench (Leguminosae: Caesalpinioideae), by Howard S. Irwin & Rupert C. Barneby 464–468
Two new species of neotropical Chrysobalanaceae, by Ghillean T. Prance 248–252
Typha domingensis 191
Ulmus 4
Umbelliferae: See Apiaceae
Uncariopsis 323
URBATSCH, LOWELL E. & JAMES R. WUSSOW, The taxonomic affinities of *Haplopappus linearifolius* (Asteraceae—Astereae) 265–275
Urceolaria 323
Urticaceae 20
Utah: *Asclepias* 110–114; *Lomatium* 96–100
Vaccinieae 156–163
Vaccinium: subgenus *Cyanococcus* 53
Valeriana 101–103; *foliosa* 101; **rosaliana 101**–103, figs. 102 & 103; *triplinervis* 102
Valerianaceae 101–103
Várzea 26–33, figs. 29 & 30, 35, 36; seasonal 26, 29, 31–33, 35; tidal 26, 29–32
Vegetation types of the Cocoa region 189–195, fig. 190; arborescent caatinga 193, fig. 190; beach vegetation 191; cocoa plantations 195; edaphic formations 189–191;

forest formations 192; herb-shrub caatinga 194; liana forest fig. 190, 193; managed communities 194, 195; mangrove 189, 191; marsh 191; pastures 194, 195; restinga 191; savannas 194; secondary communities 194, 195; tropical mesophytic forest of southern Bahia fig. 190, 192; tropical wet forest of southern Bahia fig. 190, 192; unmanaged secondary communities 194; várzea 191, weedy pasture 194
Venezuela: *Valeriana* 101–103
Verbenaceae 20, 31, 194
Viburnum 22
Victoria amazonica 28
Viguiera stenoloba 168, 375
Vinha, Sérgio Guimarães da 188, 189
Violaceae 20
Virola: *elongata* 29; *surinamensis* 32
Viscaceae 212–216
Vismia 194
Vitex cymosa 31
Vitis 40
WALLACE, G. ANSLEY, An overlooked new species of *Smilax* (Smilacaceae) from northern California 416–421
Water-lily 28
Watsonamra 320
WEBSTER, GRADY L. & W. SCOTT ARMBRUSTER, A new euglossine-pollinated species of *Dalechampia* (Euphorbiaceae) from Mexico 352–357
West Indies: *Neolaugeria*, *Terebraria* 119–124
WETTER, MARK ALLEN—book review of *Endangered and Threatened Plants of the United States*, by Edward S. Ayensu & Robert DeFilipps 71
———.—book review of *Flowering Plants. Evolution and Classification of Higher Categories*, edited by Klaus Kubitzki 148
WHITE, FRANK. See Prance & White 483–487
———, The subdivisions of *Magnistipula* Engl. (Chrysobalanaceae) 480–482
Wilsoniella 469, 472
WILSON, MARCIA C. See Landry & Wilson 422–424
Wislizenia 333–351; *californica* 334, 348; *costellata* 349; *divaricata* 348; *fruticosa* 333, 343, 348; *mamillata* 333, 334, 348; *melilotoides* 333, 334, 343, 349; *pacalis* 348; *palmeri* 333, 334, 348; *refracta* 333–351, map 335, key to subsp. 347, subsp. **californica** 333, 337, 339–345, maps 343 & 345, key 347, **348**, 349, var. *mamillata* 334, 348, var. *melilotoides* 333, 349, subsp. **palmeri** 333, 337, 339–345, maps 343 & 345, key 347, **348**, var. *palmeri* 334, 348, subsp. *refracta* 333, 337, 339–345, maps 343 & 345, key 347, 349, 350, var. *refracta* 334; *scabrida* 333, 342, 349
Witchweed 253–256
WOFFORD, B. EUGENE & ROBERT KRAL, A new *Arenaria* (Caryophyllaceae) from the Cumberlands of Tennessee 257–260
Woodwardia 21
WUSSOW, JAMES R. See Urbatsch & Wussow 265–275
Wyethia scabra 110
Xerococcus 313, 327, 328, 332; *congestus* 332
Xyridaceae 194
Yucca rostrata 375
Zamiaceae 170–173
Zanthoxylum 21
Zingiberaceae 20, 23, 31, 192
Zollernia 74, 77

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by Sec. 3685, Title 39 of U.S. Code)

The journal *Brittonia* is published quarterly. It is wholly owned by the New York Botanical Garden, Bronx, New York 10458; there are no bondholders, mortgagees or other security holders. The Editor and Managing Editor is Noel H. Holmgren, New York Botanical Garden. Extent and nature of circulation: 1200 total number of copies printed, 816 sold by mail subscriptions (paid circulation), 4 distributed free, 820 total distributed and 380 left over for office use or back issue sale. Date of filing: 1 October 1979. I certify that the statements made by me above are correct and complete. Signed: Anita S. Weissman, Manager of Publications, New York Botanical Garden.

BRITTONIA for October–December 1979 (31: 433–516) was issued on 27 November 1979